



CoopBioPlat workshop, Madrid, 20 - 23 October 2015

Atlas of Living France (ALF)

Marie-Elise Lecoq (melecoq@gbif.fr)

Historic

Since 2011 : Portal development

Nov. 2013 : Discussion about the ALA portal

July 2014 : Workshop ALA in Canberra

February – May 2015 : installation and configuration of ALF

28 May 2015 : ALF in production

Future : spatial portal ?



Issues

- Advanced research: Collection and/or Institution
- Server (as always,..)
- Next dataset to be added: more than 20 million occurrences.
- Upgrade biocache-hub
- Encoding errors
- Autocompletion (does it work with vernacular name?)
- Indexation error (mistake during search)
- Download doesn't work
- Add observation dataresources on collection engine



Customization

- Bootstrap 2 to Bootstrap 3
 - Generic-hub : JQuery 1.8 to 1.11
- Removing roles and using apache2 to secure the administration part
- CSS changes
- Internationalization via Crowdin
- MySQL schema changes for metadata profiles (collectory)



Bootstrap (1)

→ Biocache hub plugins: file conf/BiocacheHubsResources.groovy

→ Add module bootstrap3:

```
13 bootstrap3 {  
14     dependsOn 'jquery'  
15     resource url:[dir:'bootstrap3/js', file:'bootstrap.js', plugin:'biocache-hubs']  
        , disposition: 'head', exclude: '*'  
16     resource url:[dir:'bootstrap3/css', file:'bootstrap.css', plugin:'biocache-hubs  
        ', attrs:[media:'screen, projection, print']  
17     resource url:[dir:'bootstrap3/css', file:'bootstrap.css', plugin:'biocache-hubs  
        '], attrs:[media:'screen', id:'responsiveCss'], exclude: '*|'  
18 }
```

→ Download Bootstrap3 :


<http://getbootstrap.com/getting-started/#download>

→ Add this folder in the web-app folder

Bootstrap (2)

→ Download Bootstrap3:
<http://getbootstrap.com/getting-started/#download>

→ Add the downloading folder in the
web-app folder



Apache security

- In Apache conf file: /etc/apache2/site-enabled/demo.conf
- Add the following code for each page that you want secure

```
<Location "/collector/admin/export/">  
  AuthType Basic  
  AuthName "Authentication Required"  
  AuthUserFile "/etc/apache2/admin.htpasswd"  
  Require valid-user  
  
  Order allow,deny  
  Allow from all  
</Location>
```

- For secure SOLR (not really clean procedure):

```
<Location /solr/admin>  
  Deny from all  
  Allow from 127.0.0.1  
</Location>
```



Thank you 😊

Marie-Elise Lecoq

melecoq@gbif.fr

@bouhoubme

<https://github.com/melecoq>

GBIF France

gbif@gbif.fr

@gbiffrance

www.gbif.fr

<https://github.com/gbiffrance/>

